Grille Screen Louver • 2" to 6" Deep • Solar Angular Blades • Continuous Line • Extruded Aluminum

## Standard Materials and Construction

FRAME: .125" to .250" thick (nominal) extruded aluminum 6063-T52/T6 alloy.

Grille depth can be 2" to 6" deep.

BLADE: .125" to .250" thick (nominal) extruded aluminum 6063-T52/T6 alloy.

Blades can have 2" to 12" vertical and horizontal spacing and

horizontal blade angle from 0° to 45°.

CONSTRUCTION: All welded construction.


FINISH: Factory mill.


## **Options**


Finishes - Kynar, Baked Enamel, Clear and Color Anodize

## Grille Screen Sizes

Min Panel	Max Single Panel			
12"W x 12"H	60"W x 96"H (40 sq.ft.)			







"A" = 2" to 12" (Horizontal Blade Spacing)
"B" = 2" to 12" (Vertical Blade Spacing)
"C" = .125" to .250" (Material Thickness)
"D" = 2" to 6" (Grille Depth)
"E" = 0" to 45" (Blade Angle)

"F" = 1" minimum (Vertical Blade Depth)

Item #	Qty	Horizontal	Vertical	Grille Depth	Material Thickness		Blade Angle		00
		Blade S	Spacing						<u>Union Made</u>
Arch. / Eng. :				EDR:		ECN:		Job:	
Contractor:									
Р	roject:			Date:		DWN:		DWG:	

